Expenses inc. Treenode.

Expenses inc. Treenode.

VIEW Net Tournel

ROOK Assets TW=X

KNOW ITC. COM

ROOK ASSETS TW=X

ROOK BOYCOTT CELL

BOYCOTT CELL

BOYCOTT CELL

BOYCOTT CELL 20=AZ |=BI 2=cl phones... Zio 3-AB 4=ZZ 5-AA 6=BB 7=II 28=11 9=米 米=09 A=12 B=25 C=31 D=49 E=24 F=26 G=33 H=00 J=22 J=32 K=44 L=66 M=61 H=00 J=77 P=71 A=75 R=41 J=63 N=62 O=77 P=71 A=20 V=X V=X

## Trump

Fred Beck's Anti Forensic Manual for Tards: The Essential Commands in GNU/Linux: su root; passwd root; date | md5sum; sudo -i gnome-disks ; gparted ; fdisk -l ; ctrl-shift-v ; ctrl-alt-f1-f12 getty agetty; To null and delete a file: echo "null" >file; x5 rm file; Clear the FS Pooler as well ...; To erase a drive : yes >/dev/sdx ; x5 ; Guaranteed to do it on Solid State: gparted > new mft tables > new partition; echo \$RANDOM | md5sum; dd if=/dev/zero of=blob.img bs=999M count=999; Erases the FS Pooler ...; Physical destruction is your best bet: A low capacity micro sd card or sd card, pliers, 4 spline it after running ves ...; cat /dev/zero >/dev/sdx; \*10; Kernels without cupsd ssh-agent syslogd klogd x86x64 support systemd xcb or any of that common nonsense nonsense; **Locking access controls on 32 GiB CF Card:** 1 32 GiB Compact Flash Card; Crappy Luks LVM and Manjaro 20; rm /usr/bin /sbin sudo ssh-agent cupsd ; killall sudo ssh-agent cupsd; Useless Ports; echo \$RANDOM | md5sum ; Locks Access ; passwd usr and root; On the CF Card; ctrl-s-v of md5sum \*5; lock all admin root; delete both /root and /home/usr bash history; Computer Name: usr/usr/root same passwd;